


Sollos® Landscape Lighting 2024 Product Catalog







Sollos fixtures are available in multiple styles, sizes and finishes to compliment any backyard environment. All ground mount fixtures are packaged with a sturdy 8" ground stake. All fixtures are packaged with waterproof wire connectors. Sollos Lighting offers select fixtures in a kitted version which includes an LED lamp.

PATH LIGHTS

WALK WITH CONFIDENCE





WIDE RANGE OF FINISHES

ENHANCE YOUR OUTDOOR SPACES



ANTIQUE BRASS



COPPER



STAINLESS STEEL



TEXTURED BRONZE



TEXTURED BLACK

BULLETS LIGHTS

HIGHLIGHT YOUR BEST FEATURES



CONTEMPORARY



STRAIGHT



MODERN



DOWN

FLOOD, IN-GROUND, & WELL LIGHTS

ENHANCE HARDSCAPE FEATURES



FLOOD



UP LIGHT



IN GROUND



WELL



UNDERWATER

STEP, LEDGE, POST, & HANGING LIGHTS

SMALL FOOTPRINT, LARGE IMPACT



TREM STEP



LOUVERED STEP



UNDER STEP



POST



SURFACE MOUNT STEP (3 x 5)



HANGING



SURFACE MOUNT STEP (3 x 9)



LEDGE

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	ССТ	RATING	CTN. QTY.	CTN. WEIGHT
913021	PSH040-TB-12	Textured Black	F	ixture Only		12"	1	1.2 lbs.
913021S	PSH040-TB-12-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	12"	1	1.3 lbs.
913028	PSH040-TB-15	Textured Black	F	ixture Only		15"	1	1.4 lbs.
913028S	PSH040-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	1	1.5 lbs.
913023	PSH040-TZ-12	Textured Bronze	F	ixture Only		12"	1	1.3 lbs.
913148S	PSH040-TZ-12-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	12"	1	1.3 lbs.
913030	PSH040-TZ-15	Textured Bronze	- -	ixture Only		15"	1	1.5 lbs.
913030S	PSH040-TZ-15-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	15"	1	1.7 lbs.
Straight Da	ath Light, 5.5" Hat		•				•	
910021	PSH055-TB-12	Textured Black	F	ixture Only		12"	1	1.5 lbs.
910021S	PSH055-TB-12-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	12"	1	1.5 lbs.
910028	PSH055-TB-15	Textured Black		ixture Only	000011	15"	1	1.7 lbs.
915311S	PSH055-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	1	1.8 lbs.
910035	PSH055-TB-18	Textured Black	·	ixture Only	333011	18"	1	1.7 lbs.
910035 910035S	PSH035-1B-18 PSH055-TB-18-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	18"	1	1.8 lbs.
910023	PSH035-TB-18-JC3/830/TP65/LED	Textured Bronze	- 	ixture Only	55551	12"	1	1.5 lbs.
910128S	PSH035-12-12 PSH055-TZ-12-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	12"	1	1.7 lbs.
910030	PSH055-TZ-15	Textured Bronze		ixture Only	333011	15"	1	1.6 lbs.
915310S	PSH055-TZ-15-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	15"	1	1.5 lbs.
910037	PSH055-TZ-18	Textured Bronze		ixture Only	333011	18"	1	1.8 lbs.
910037 910037S	PSH035-12-18 PSH055-TZ-18-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	18"	1	1.8 lbs.
				1				
3traignt Pa 911021	oth Light, 7.5" Hat PSH075-TB-12	Textured Black		ixture Only		12"	1	2 lbs.
911021 911021S	PSH075-TB-12-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	12"	1	1.8 lbs.
911028	PSH075-TB-12-JC3/830/TP65/LED PSH075-TB-15	Textured Black		ixture Only	333011	15"	1	2 lbs.
915315S	PSH075-TB-15 PSH075-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	1	1.9 lbs.
911035	PSH075-TB-13-JC3/830/TP65/LED	Textured Black	- -	ixture Only	300011	18"	1	2 lbs.
911035 911035S	· · · ·	Textured Black	20W	JC3	3000K	18"	1	1.7 lbs.
911023	PSH075-TB-18-JC3/830/IP65/LED	Textured Bronze	}	ixture Only	JUUUN	12"	1	1.7 lbs. 1.9 lbs.
911148S	PSH075-TZ-12	Textured Bronze	20W	JC3	3000K	12"	1	1.7 lbs.
911030	PSH075-TZ-12-JC3/830/IP65/LED PSH075-TZ-15	Textured Bronze		ixture Only	JUUUN	15"	1	1.7 lbs. 1.9 lbs.
915314S		Textured Bronze	20W	JC3	3000K	15"	1	1.9 lbs.
911037	PSH075-TZ-15-JC3/830/IP65/LED	Textured Bronze		ixture Only	SUUUN	18"	1	1.9 lbs.
911037 911037S	PSH075-TZ-18	Textured Bronze	20W	JC3	3000K	18"	1	1.9 lbs. 2 lbs.
27554	PSH075-TZ-18-JC3/830/IP65/LED	Textured Bronze		able Fixture (19-36"	1	2.5 lbs.
27558	PTH075-TB-1936	Textured Bronze	-	able Fixture (able Fixture (19-36"	1	2.5 lbs. 2.6 lbs.
	PTH075-TZ-1936	rextured Bronze	Aujust	avie rixiure l	nity	17-30	ı	Z.0 IDS.
	oth Light, 9" Hat	Tautour d Diagl	· .			15"	1	2.1.11
914028	PSH090-TB-15	Textured Black	···	ixture Only	200014	15"	1	2.1 lbs.
914028S	PSH090-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	1	2.3 lbs.
914035	PSH090-TB-18	Textured Black	·· !	ixture Only	200014	18"	1	2.2 lbs.
914035S	PSH090-TB-18-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	18"	1	2.4 lbs.
914030	PSH090-TZ-15	Textured Bronze	···	ixture Only	000011	15"	1	2.3 lbs.
914030S	PSH090-TZ-15-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	15"	1	2.5 lbs.
914037	PSH090-TZ-18	Textured Bronze	į F	ixture Only		18"	1	2.3 lbs.
914037S	PSH090-TZ-18-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	18"	1	2.5 lbs.









STRAIGHT 4" STRAIGHT 5.5"

STRAIGHT 7.5"

STRAIGHT 9"

TRADITIONAL PATH LIGHTS

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	CCT	RATING	CTN. QTY.	CTN. WEIGHT
915400	PTH040-AB-12	Antique Brass	F	ixture Only	<u>.</u>	12"	1	1 lb.
915445S	PTH040-AB-12-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	12"	1	1.2 lbs.
915403	PTH040-AB-15	Antique Brass	F	ixture Only	•	15"	1	1.8 lbs.
915403S	PTH040-AB-15-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	15"	1	2 lbs.
915402	PTH040-CU-12	Copper	F	ixture Only	•	12"	1	1.9 lbs.
915405	PTH040-CU-15	Copper	F	ixture Only	•	15"	1	2 lbs.
915562	PTH040-SS-12	Stainless Steel	F	ixture Only	•	12"	1	2 lbs.
Traditiona	ıl Path Light, 5.5" Hat							
915454	PTH055-AB-12	Antique Brass	F	ixture Only		12"	1	2 lbs.
915454S	PTH055-AB-12-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	12"	1	2.2 lbs.
915457	PTH055-AB-15	Antique Brass	F	ixture Only		15"	1	2.1 lbs.
915493S	PTH055-AB-15-JC3/830/IP65LED	Antique Brass	20W	JC3	3000K	15"	1	2.3 lbs.
915460	PTH055-AB-18	Antique Brass	F	ixture Only	•	18"	1	2.3 lbs.
915460S	PTH055-AB-18-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	18"	1	2.5 lbs.
Traditiona	l Path Light, 7.5" Hat							
915508	PTH075-AB-12	Antique Brass	F	ixture Only		12"	1	2.5 lbs.
915508S	PTH075-AB-12-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	12"	1	2.7 lbs.
915511	PTH075-AB-15	Antique Brass	F	ixture Only	•	15"	1	2.6 lbs.
915511S	PTH075-AB-15-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	15"	1	2.8 lbs.
915514	PTH075-AB-18	Antique Brass	F	ixture Only	•	18"	1	2.8 lbs.
915514S	PTH075-AB-18-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	18"	1	3 lbs.
915566	PTH075-SS-15	Stainless Steel	F	ixture Only	-	15"	1	3 lbs.
915567	PTH075-SS-18	Stainless Steel	F	ixture Only	-	18"	1	3 lbs.
27550	PTH075-AB-1936	Antique Brass	Adiust	able Fixture	 Onlv	19-36"	1	3.6 lbs.













PATH LIGHTS - MODERN, DOME, AND MUSHROOM

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	CCT	RATING	CTN. QTY.	CTN. WEIGHT
915257	PMH070-AB-15	Antique Brass	F	- Fixture Only	-	15"	12	3.3 lbs.
915257S	PMH070-AB-15-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	15"	12	3.5 lbs.
915260	PMH070-AB-18	Antique Brass	ŀ	- Fixture Only		18"	12	3.3 lbs.
915260S	PMH070-AB-18-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	18"	12	3.5 lbs.
Dome Patl	h Light, 8.3" Hat							
915021	PD0083-TB-12	Textured Black	F	ixture Only		12"	12	2 lbs.
915021S	PD0083-TB-12-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	12"	12	2.1 lbs.
915028	PD0083-TB-15	Textured Black	F	ixture Only		15"	12	2 lbs.
915145S	PD0083-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	12	2.1 lbs.
915035	PD0083-TB-18	Textured Black	I.	- Fixture Only	-	18"	12	2 lbs.
915140S	PD0083-TB-18-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	18"	12	2.1 lbs.
915023	PD0083-TZ-12	Textured Bronze	F	ixture Only		12"	12	2 lbs.
915023S	PD0083-TZ-12-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	12"	12	2.1 lbs.
915030	PD0083-TZ-15	Textured Bronze	I.	- Fixture Only	-	15"	12	2 lbs.
915312S	PD0083-TZ-15-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	15"	12	2.1 lbs.
915037	PD0083-TZ-18	Textured Bronze	F	- ixture Only	•	18"	12	2 lbs.
915037S	PD0083-TZ-18-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	18"	12	2.1 lbs.
Mushroom	n Path Light, 5" Hat							
912003	PMU050-TB-15	Textured Black	F	Fixture Only		15"	12	2.2 lbs.
912018S	PMU050-TB-15-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	15"	12	2.3 lbs.
912005	PMU050-TZ-15	Textured Bronze	I.	ixture Only		15"	12	2.2 lbs.
912005S	PMU050-TZ-15-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	15"	12	2.3 lbs.





PATH LIGHTS- P90° AND BOLLARD

90°	Path	Light
-----	------	-------

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	CCT	RATING	CTN. QTY.	CTN. WEIGHT
27533	P90-TZ-20	Textured Bronze	Fixture Only		-	20"	1	1.4 lbs.
27533S	P90-TZ-20-JC3/830/IP65/LED	Textured Bronze	20W	JC3	3000K	20"	1	1.6 lbs.
27530	P90-TB-20	Textured Black	F	ixture Only	•	20"	1	1.4 lbs.
27530	P90-TB-20-JC3/830/IP65/LED	Textured Black	20W	JC3	3000K	20"	1	1.6 lbs.
27536	P90-AB-20	Antique Brass	F	ixture Only	-	20"	1	2.1 lbs.
27536S	P90-AB-20-JC3/830/IP65/LED	Antique Brass	20W	JC3	3000K	20"	1	2.3 lbs.

Bollard Path Light

		1	:				1	Ī
27546	PBL-TZ-16	Textured Bronze		Fixture Only	_	16"	1	1.6 lbs.
27546S	PBL-TZ-16-MR16BAB/827/LED	Textured Bronze	20W	MR16	2700K	16"	1	1.8 lbs.
27546RGBW	PBL-TZ-16-MR16FL6/RGBW/LED	Textured Bronze	6W	MR16	RGBW	16"	1	1.8 lbs.
27543	PBL-TB-16	Textured Black		Fixture Only		16"	1	1.6 lbs.
27543S	PBL-TB-16-MR16BAB/827/LED	Textured Black	20W	MR16	2700K	16"	1	1.8 lbs.
27543RGBW	PBL-TB-16-MR16FL6/RGBW/LED	Textured Black	6W	MR16	RGBW	16"	1	1.8 lbs.
27540	PBL-AB-16	Antique Brass		Fixture Only		16"	1	2.9 lbs.
27540S	PBL-AB-16-MR16BAB/827/LED	Antique Brass	20W	MR16	2700K	16"	1	3.1 lbs.
27540RGBW	PBL-AB-16-MR16FL6/RGBW/LED	Antique Brass	6W	MR16	RGBW	16"	1	3.1 lbs.
	•	•	•	•	•	•	•	•





MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	CCT	RATING	CTN. QTY.	CTN. WEIGHT
995502	BCB065-AB	Antique Brass		Fixture Only		-	1	1.9 lbs.
921322S	BCB065-AB-MR16BAB/827/LED	Antique Brass	20W	MR16	2700K	IP65	1	2.0 lbs.
20080S	BCB065-AB-MR16FL4/827/LED	Antique Brass	20W	MR16	2700K	- 1	1	1.9 lbs.
995506	BCB065-TB	Textured Black		Fixture Only		-	1	1.3 lbs.
921362S	BCB065-TB-MR16BAB/827/LED	Textured Black	20W	MR16	2700K	IP65	1	1.4 lbs.
27603S	BCB065-TB-MR16FL4/827/LED	Textured Black	20W	MR16	2700K	-	1	1.9 lbs.
995508	BCB065-TZ	Textured Bronze		Fixture Only		-	1	1.3 lbs.
921363S	BCB065-TZ-MR16BAB/827/LED	Textured Bronze	20W	MR16	2700K	IP65	1	1.4 lbs.
27602S	BCB065-TZ-MR16FL4/827/LED	Textured Bronze	20W	MR16	2700K	<u> </u>	1	1.9 lbs.
Straight 6	.7" Series Bullet							
995532	BSB067-AB	Antique Brass		Fixture Only			1	1.9 lbs.
922633S	BSB067-AB-MR16BAB/827/LED	Antique Brass	20W	MR16	2700K	IP65	1	2.0 lbs.
995338S	BSB067-AB-MR16FL4/827/LED	Antique Brass	20W	MR16	2700K	-	1	2.0 lbs.
24803S	BSB067-AB-MR16FL6/RGBW/LED	Antique Brass	35W	MR16	RGBW	IP65	1	2.0 lbs.
995534	BSB067-CU	Copper		Fixture Only			1	2.0 lbs.
995536	BSB067-SS	Stainless Steel		Fixture Only		-	1	2.0 lbs.
	.2" Series Bullet	.				, ,		
995310	BSB062-TB	Textured Black		Fixture Only		-	1	1.2 lbs.
922753S	BSB062-TB-MR16BAB/827/LED	Textured Black	20W	MR16	2700K	IP65	1	1.4 lbs.
27606S	BSB062-TB-MR16FL4/827/LED	Textured Black	20W	MR16	2700K	_	1	1.4 lbs.
995314	BSB062-TZ	Textured Bronze		Fixture Only		-	1	1.2 lbs.
922754S	BSB062-TZ-MR16BAB/827/LED	Textured Bronze	20W	MR16	2700K	IP65	1	1.4 lbs.
995337S	BSB062-TZ-MR16FL4/827/LED	Textured Bronze	20W	MR16	2700K	-	1	1.4 lbs.
	" Series Bullet	*	•					
995300	BSB060-TB	Textured Black		Fixture Only			1	1.2 lbs.
922522S	BSB060-TB-MR16BAB/827/LED	Textured Black	20W	MR16	2700K	IP65	1	1.4 lbs.
995304	BSB060-TZ	Textured Bronze		Fixture Only		_	1	1.2 lbs.
922523S	BSB060-TZ-MR16BAB/827/LED	Textured Bronze	20W	MR16	2700K	IP65	1	1.4 lbs.
	2" Series Bullet	r	,			, ,	,	
995100	BMB062-TB	Textured Black	<u> </u>	Fixture Only			1	1.5 lbs.
920219S	BMB062-TB-MR16BAB/827/LED	Textured Black	20W	MR16	2700K	IP65	1	1.7 lbs.
27605S	BMB062-TB-MR16FL4/827/LED	Textured Black	20W	MR16	2700K		1	1.7 lbs.
995104	BMB062-TZ	Textured Bronze		Fixture Only			1	1.5 lbs.
920220S	BMB062-TZ-MR16BAB/827/LED	Textured Bronze	20W	MR16	2700K	IP65	1	1.7 lbs.
27604S	BMB062-TZ-MR16FL4/827/LED	Textured Bronze	20W	MR16	2700K	-	1	1.7 lbs.
	.4" Series Bullet (MR11)	f	•			1 1		
995362	BSB054-AB	Antique Brass		Fixture Only			1	1.7 lbs.
995364	BSB054-CU	Copper		Fixture Only		-	1	1.7 lbs.
	" with Mounting Base		1			, ,		
995503	DL-BCB075-AB	Antique Brass	1	Fixture Only Contemporary))	-	1	2.0 lbs.
995504	DL-BSB077-AB	Antique Brass		ure Only (Straid		T _ T	1	2.0 lbs.















CONTEMPORARY STRAIGHT 6.7" 6.5"

STRAIGHT 6.2"

STRAIGHT 6"

MODERN 6.2"

STRAIGHT 5.4" (MR11)

DOWN LIGHT 7.5"

STEP LIGHTS

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	ССТ	RATING	CTN. QTY.	CTN. WEIGHT
942004	SBT048-TB	Textured Black		Fixture Only	*	Trim	1	1.1 lbs.
942028S	SBT048-TB-JC2/830/IP65/LED	Textured Black	10W Equiv.	JC2	3000K	Trim	1	1.2 lbs.
942033	SBT048-TZ	Textured Bronze		Fixture Only		Trim	1	1 lb.
942039S	SBT048-TZ-JC2/830/IP65/LED	Textured Bronze	10W Equiv.	JC2	3000K	Trim	1	1.1 lbs.
942504	SBL048-TB	Textured Black		Fixture Only	•	Louver	1	1.1 lbs.
942528S	SBL048-TB-JC2/830/IP65/LED	Textured Black	10W Equiv.	JC2	3000K	Louver	1	1.2 lbs.
942533	SBL048-TZ	Textured Bronze		Fixture Only	•	Louver	1	1.1 lbs.
942539S	SBL048-TZ-JC2/830/IP65/LED	Textured Bronze	10W Equiv.	JC2	3000K	Louver	1	1.1 lbs.
941002	DUS060-AB	Antique Brass	Fixture Only		-	1	0.6 lbs.	
941001	DUS060-SS	Stainless Steel	-	Fixture Only			1	0.6 lbs.
941000	DUS060-CU	Copper	13W	T5	3000K	_	1	0.6 lbs.
998120	MP06	_	Optic	nal Mounting Pl	ate	_	1	1.1 lbs.
SMSL - 3"	x 5"							
27520	SMSL050/827/TB	Textured Black				_	1	0.8 lbs.
27521	SMSL050/827/TZ	Textured Bronze				_	1	1.4 lbs.
27522	SMSL050/827/AB	Antique Brass				_	1	1.5 lbs.
SMSL - 3"	x 9"				•			
27523	SMSL090/827/TB	Textured Black				_	1	1.8 lbs.
27524	SMSL090/827/TZ	Textured Bronze	•			_	1	1.9 lbs.
27525	SMSL090/827/AB	Antique Brass		<u> </u>	+	_	1	2 lbs.











TRIM STEP

LOUVERED STEP

UNDER STEP

SURFACE MOUNT STEP SURFACE MOUNT STEP (3 x 5) (3 x 9)



LEDGE, POST, & HANGING LIGHTS

l edae	Lights
Lugu	Ligito

	-							
MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	ССТ	RATING	CTN. QTY.	CTN. WEIGHT
99960	LLA055/827/TB	Textured Black	1W	Ledge	2700K	IP65	1/24	0.7 lbs.
99961	LLA055/827/TZ	Textured Bronze	1W	Ledge	2700K	IP65	1/24	0.7 lbs.
99980	LLA055/827/AB	Antique Brass	1W	Ledge	2700K	IP65	1/24	0.9 lbs.
99964	LLA055/827	Lamp Only	1W	Ledge	2700K	_	1/24	0.2 lbs.
27506	LLA055/RGBW/TB	Textured Black	2W	Ledge	RGBW	IP65	1/24	0.2 lbs.
27509	LLA055/RGBW/TZ	Textured Bronze	2W	Ledge	RGBW	IP65	1/24	1.1 lbs.

Deck Post Lights

997104	DPL033-AB	Antique Brass	Fixture Only			-	1	1.2 lbs.
940025S	DPL033-AB-JC1/830/IP65/LED	Antique Brass	10W Equiv.	JC10	3000K	_	1	0.6 lbs.
940002	DPL033-TB	Textured Black		Fixture Only		_	1	0.7 lbs.
940014S	DPL033-TB-JC1/830/IP65/LED	Textured Black	10W Equiv.	JC10	3000K	_	1	0.6 lbs.
940003	DPL033-TZ	Textured Bronze	Fixture Only			_	1	0.7 lbs.
940015S	DPL033-TZ-JC1/830/IP65/LED	Textured Bronze	10W Equiv.	JC10	3000K	_	1	0.7 lbs.

Hanging Lights

997402	HLS043-AB	Antique Brass	Fixture Only	_	1	1.2 lbs.
943021S	HLS043-AB-MR16WFL10/827/LED	Antique Brass	10W Equiv. JC10	3000K –	1	0.6 lbs.







LEDGE

DECK POST

HANGING



FLOOD, IN-GROUND, & WELL LIGHTS

10DEL IUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	CCT	RATING	CTN. QTY.	CTN. WEIGHT
995407	FRF057-TB	Textured Black	Fix	ture Only		_	1	1.2 lbs.
995412S	FRF057-TB-JC3/830/OMNI/IP65/LED	Textured Black	20W	JC3	3000K	-	1	128.3 lbs.
995411S	FRF057-TB-JC35/4WW/LED	Textured Black	35W	JC3	3000K	-	1	1.1 lbs.
995409	FRF057-TZ	Textured Bronze	Fix	ture Only	L	_	1	1.2 lbs.
995414S	FRF057-TZ-JC3/830/OMNI/IP65/LED	Textured Bronze	20W	JC3	3000K	_	1	1.2 lbs.
995413S	FRF057-TZ-JC35/4WW/LED	Textured Bronze	35W	JC3	3000K	-	1	1.3 lbs.
995405	FRF057-AB	Antique Brass	Fix	ture Only	<u> </u>	-	1	2 lbs.
27504S	FRF057-AB-JC3/830/OMNI/IP65/LED	Antique Brass	20W	JC3	3000K	-	1	2 lbs.
995410S	FRF057-AB-JC35/4WW/LED	Antique Brass	35W	JC3	3000K	_	1	2.1 lbs.
Par 36 Ro	ound Up Light							
999996	BSB036-TB	Textured Black	Fix	ture Only		_	1	1.8 lbs.
					•		• • • • • • • • • • • • • • • • • • • •	-
999995	BSB036-TZ	Textured Bronze	Fix	ture Only		_	1	1.8 lbs.
999995 999997	BSB036-AB	Antique Brass	<u></u>	ture Only ture Only		<u> </u>	1	1.8 lbs. 2.9 lbs.
999995 999997 Inground MODEL	BSB036-AB Light Fixtures – Not for use with co	Antique Brass	Fix		ССТ	- - STYLF	1 CTN.	2.9 lbs.
999995 999997 Inground MODEL NUMBER	BSB036-AB Light Fixtures – Not for use with co	Antique Brass Increte FINISH	Fix WATTAGE	ture Only	ССТ	STYLE	CTN. QTY.	2.9 lbs. CTN. WEIGHT
999995 999997 Inground MODEL NUMBER 996232	BSB036-AB Light Fixtures – Not for use with co	Antique Brass Increte FINISH Antique Brass	WATTAGE Fix	ture Only LAMP ture Only	сст	Rock Guard	CTN. QTY.	2.9 lbs. CTN. WEIGHT 2 lbs.
999995 999997 Inground MODEL NUMBER 996232 996200	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB	Antique Brass Increte FINISH Antique Brass Composite Black	WATTAGE Fix Fix	LAMP ture Only ture Only	ССТ	Rock Guard Rock Guard	1 CTN. QTY.	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs.
999995 999997 Inground MODEL NUMBER 996232	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS	Antique Brass PINISH Antique Brass Composite Black Stainless Steel	WATTAGE Fix Fix Fix	LAMP ture Only ture Only ture Only ture Only	сст	Rock Guard Rock Guard Rock Guard	CTN. QTY.	CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs.
999995 999997 Inground MODEL NUMBER 996232 996200 996234	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS IGT049-AB	Antique Brass PINISH Antique Brass Composite Black Stainless Steel Antique Brass	WATTAGE Fix Fix Fix Fix	LAMP ture Only ture Only ture Only ture Only ture Only	сст	Rock Guard Rock Guard Rock Guard Trim Ring	1 CTN. QTY. 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs.
999995 999997 Inground MODEL NUMBER 996232 996200 996234 996132	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS	Antique Brass PINISH Antique Brass Composite Black Stainless Steel	WATTAGE Fix Fix Fix Fix Fix	LAMP ture Only ture Only ture Only ture Only	ССТ	Rock Guard Rock Guard Rock Guard	1 CTN. QTY. 1 1 1 1 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs. 1.2 lbs.
999995 999997 Inground MODEL NUMBER 996232 996200 996234 996132 996100 996134	BSB036-AB Light Fixtures - Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS IGT049-AB IGT049-CB IGT049-SS	Antique Brass FINISH Antique Brass Composite Black Stainless Steel Antique Brass Composite Black	WATTAGE Fix Fix Fix Fix Fix	LAMP ture Only	ССТ	Rock Guard Rock Guard Rock Guard Trim Ring Trim Ring	1 CTN. QTY. 1 1 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs. 1.2 lbs. 1.6 lbs.
999995 999997 Inground MODEL NUMBER 996232 996200 996234 996132 996100 996134	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS IGT049-AB IGT049-AB IGT049-CB	Antique Brass PINISH Antique Brass Composite Black Stainless Steel Antique Brass Composite Black Stainless Steel Antique Brass Composite Black Stainless Steel	WATTAGE Fix Fix Fix Fix Fix Fix	LAMP ture Only ture Only ture Only ture Only ture Only ture Only	ССТ	Rock Guard Rock Guard Rock Guard Trim Ring Trim Ring	1 CTN. QTY. 1 1 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs. 1.2 lbs. 1.6 lbs.
999995 999997 Inground MODEL NUMBER 996232 996234 996132 996100 996134 Well Ligh	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS IGT049-AB IGT049-CB IGT049-SS IGT049-CB IGT049-CB IGT049-SS	Antique Brass FINISH Antique Brass Composite Black Stainless Steel Antique Brass Composite Black	WATTAGE Fix Fix Fix Fix Fix Fix	LAMP ture Only	CCT 27700K	Rock Guard Rock Guard Rock Guard Trim Ring Trim Ring	CTN. QTY. 1 1 1 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs. 1.2 lbs. 1.6 lbs. 2 lbs.
999995 999997 Inground MODEL NUMBER 996232 996234 996132 996132 996134 Well Ligh 996300	BSB036-AB Light Fixtures – Not for use with co DESCRIPTION IGG049-AB IGG049-CB IGG049-SS IGT049-AB IGT049-CB IGT049-SS IGT049-CB IGT049-CB IGT049-SS	Antique Brass FINISH Antique Brass Composite Black Stainless Steel Antique Brass Composite Black Stainless Steel Composite Black	WATTAGE Fix Fix Fix Fix Fix	LAMP ture Only ture Only ture Only ture Only ture Only ture Only		Rock Guard Rock Guard Rock Guard Trim Ring Trim Ring	CTN. QTY. 1 1 1 1	2.9 lbs. CTN. WEIGHT 2 lbs. 1.6 lbs. 2.2 lbs. 1.6 lbs. 2 lbs. 1.6 lbs.



UWL-R33-AB-30K

9999985





UP LIGHT



Antique Brass

IN-GROUND ROCK GUARD



MR16 2700K

20W

IN-GROUND TRIM RING



IP65

WELL



2.1 lbs.

UNDERWATER



Our color changing LED lights set the stage for dazzling outdoor spaces. Jazz up your landscaping with the perfect hue to fit your mood.

- » RGB-W color-changing plus white in single product
- » Maximum app connection of 128 devices.

ColorSplash Lamps

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	LAMP	ССТ	RATING	CTN. QTY.	CTN. WEIGHT
82143	JC10/RGBW/LED	Lamp Only	1.5W	JC10	RGBW	120lms	1/10	0.3 lbs.
82099	MR16FL6/RGBW/LED	Lamp Only	6W	MR16	RGBW	400lms	1/10	3.2 lbs.
82142	PAR36WFL10/RGBW/IP68	Lamp Only	10W	PAR36	RGBW	800lms	1	2.7 lbs.
27506	LLA055/RGBW/TB	Textured Black	2W	Ledge	RGBW	_	1	0.6 lbs.
27509	LLA055/RGBW/TZ	Textured Bronze	2W	Ledge	RGBW	_	1	0.6 lbs.
27514	SCSBTR		Bluetooth Re (Extends Ope	1			1	2.8 lbs.
27598	BTRMS	Blue	Tooth Repea	ter Mountir	ig Stake	•	1	1 lb.











PAR36

LEDGE

BLUETOOTH REPEATER

MR16

JC10

XG CONTROLLER

ColorSplash XG Controller

MODEL NUMBER	DESCRIPTION	MAXIMUM LOAD	WIRELESS	CTN. QTY.	CTN. WEIGHT
82143	JC10/RGBW/LED	Lamp Only	1.5W	JC10	RGBW



J&J Electronics™ ColorSplash XG Controller provides complete control of ColorSplash LXG Series pool and spa lamps, XG Series Pool and Spa Fixtures, and Fountain LED Light Fixtures. Control your ColorSplash LED lighting from the palm of your hand, when used with your Bluetooth enabled smart device. Can also be operated manually as a push-button station.

Download the **FREE** Sollos® ColorSplash® app and bring the power of color changing lighting control to your fingertips! Using the app, you can connect lighting, create zones, turn on/off, change or create programs and more!



LOW VOLTAGE TRANSFORMERS

NUMBER 997012		FINICIA	14/4774.05	CTN.	CTN.
007012	DESCRIPTION	FINISH	WATTAGE	QTY.	WEIGHT
77/UIZ	TR12PC-INT-100	Composite Black	100W	1	23.5 lbs.
997014	TR12SS-INT-120	Stainless Steel	120W	1	32.15 lbs.
997016	TR12SS-INT-200	Stainless Steel	200W	1	38 lbs.
997018	TR15SS-INT-300	Stainless Steel	300W	1	34 lbs.
997015	TR15SS1-INT-150	C1 . 1 C1 1	1 = 0\1/	1 2	
					0 / 11
997017	TR15SS1-INT-300	Stainless Steel Stainless Steel	150W 300W	1	34 lbs. 26 lbs.



INTEGRATED SERIES



INTEGRATED SERIES



INTEGRATED SERIES



INTEGRATED SERIES GEN-2



INTEGRATED SERIES GEN-2



COMMERCIAL



SOLLOS ACCESSORIES

MODEL NUMBER	DESCRIPTION	FINISH	TYPE	SIZE	CTN. QTY	CTN. WEIGHT
998142	DMT027-AB	Antique Brass	Mounting Plate		1	7 lbs.
998140	DMT027-TB	Textured Black	Mounting Plate		1	2 lbs.
998141	DMT027-TZ	Textured Bronze	Mounting Plate		1	3 lbs.
998100	GS08	_	Ground Stake	8"	1	12.5 lbs.
998005	RSR12-TZ	Textured Bronze	Riser	12"	1	8 lbs.
998006	RSR12-TB	Textured Black	Riser	12"	1	12 lbs.
998106	RSR12-AB	Antique Brass	Riser	12"	1	15 lbs.
998007	RSR18-TZ	Textured Bronze	Riser	18"	1	19 lbs.
998008	RSR18-TB	Textured Black	Riser	18"	1	19 lbs.
998108	RSR18-AB	Antique Brass	Riser	18"	1	20 lbs.
998205	TMDA	_	Timer, Digital Astronomic		1	6 lbs.
998200	TMA	_	Timer, Analog		1	14 lbs.
998300	PCS	_	Photo Cell	6"	1	17 lbs.












TIMER (ANALOG)



TIMER (DIGITAL)




MODEL NUMBER	27806	27800	27811
Description	SSP-1-TZ	SSP-1-TB	SSP-1-AB
Finish	Textured Bronze	Textured Black	Antique Brass
Fixtures	6 each Bullets and LED Lamps	6 each Bullets and LED Lamps	6 each Bullets and LED Lamps
Description	BMB062-TZ and MR16FL4/827/LED	BMB062-TB and MR16FL4/827/LED	BCB065-AB and MR16FL4/827/LED
Additional Fixtures	4 each Paths and LED Lamps	4 each Paths and LED Lamps	4 each Paths and LED Lamps
Description	PD0083-TZ-1 and JC3/830/0MNI/IP65/LED	PD0083-TB-1 and JC3/830/OMNI/IP65/LED	PTH075-AB-18 and JC3/830/OMNI/IP65/LED
Transformer	1 each Transformer: Integrated timer/ photocell 120W transformer	1 each Transformer: Integrated timer/ photocell 120W transformer	1 each Transformer: Integrated timer/photocell 120W transformer
Description	TR12SS-INT-120	TR12SS-INT-120	TR12SS-INT-120

Ledge Lights

MODEL NUMBER	99985	27816	27818	27815
Description	HKPP-1	HKLLT-2	HKPP-2	HKLLT-1
Finish	Textured Bronze	Textured Bronze	Textured Black	Textured Black
Fixtures	10 each Ledge Lights	10 each Ledge Lights	10 each Ledge Lights	10 each Ledge Lights
Description	LLA055/827/TZ	LLA055/827/TZ	LLA055/827/TB	LLA055/827/TB
Transformer	1 each Transformer: Integrated timer/photocell 120W transformer	1 each Transformer: Integrated timer/photocell 120W transformer	1 each Transformer: Integrated timer/photocell 120W transformer	1 each Transformer: Integrated timer/ photocell 120W transformer
Description	TR12SS-INT-120	TR12SS-INT-120	TR12SS-INT-120	TR12SS-INT-120
Cable	1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 each Cable Cutter/Splicer Tool		1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 each Cable Cutter/Splicer Tool	







99985 & 27818 ONLY

MODEL NUMBER	DESCRIPTION	CTN. QTY
81096	12V-MR11 LED Narrow Flood Lamp-3W-230Lm-2700K-20W Equiv-GU4 Base	10
81093	12V-MR11 LED Flood Lamp-3W-230Lm-2700K-20W Equiv-GU4 Base	10
81094	12V-MR11 LED Flood Lamp-3W-230Lm-2700K-20W Equiv-BA15D Base	10
81095	12V-MR11 LED Flood Lamp-3W-250Lm-5000K-20W Equiv-GU4 Base	10
MR16 LED	Lamps-2.5W-10W Equivalent	_
MODEL NUMBER	DESCRIPTION	CTN. QTY
81055	12V-MR16 LED Narrow Flood Lamp-2.5W-200Lm-2700K-10W Equiv-GU5.3 Base	10
81079	12V-MR16 LED Narrow Flood Lamp-2.5W-210Lm-3000K-10W Equiv-GU5.3 Base	10
81056	12V-MR16 LED Flood Lamp-2.5W-200Lm-2700K-10W Equiv-GU5.3 Base	10
81077	12V-MR16 LED Flood Lamp-2.5W-210Lm-3000K-10W Equiv-GU5.3 Base	10
81058	12V-MR16 LED Flood Lamp-2.5W-230Lm-5000K-10W Equiv-GU5.3 Base	10
81057	12V-MR16 LED Wide Flood Lamp-2.5W-200Lm-2700K-10W Equiv-GU5.3 Base	10
81080	12V-MR16 LED Wide Flood Lamp-2.5W-210Lm-3000K-10W Equiv-GU5.3 Base	10
MR16 LED	Lamps-4W-20W Equivalent-MR Black Series	·
MODEL NUMBER	DESCRIPTION	CTN. QTY
81103L	12V-MR16 LED Narrow Flood Lamp-4W-250Lm-2700K-20W Equiv-GU5.3 Base	10
81098	12V-MR16 LED Flood Lamp-4W-250Lm-2700K-20W Equiv-GU5.3 Base	10
81099	12V-MR16 LED Wide Flood Lamp-4W-250Lm-2700K-20W Equiv-GU5.3 Base	10
	Lawrence (FW OFW Free land MD Plants Coming	į.
MK16 LED MODEL	Lamps-4.5W-35W Equivalent-MR Black Series	
NUMBER	DESCRIPTION	CTN. QTY
82094	12V-MR16 LED Narrow Flood Lamp-4.5W-390Lm-2700K-35W Equiv-GU5.3 Base	10
82095	12V-MR16 LED Flood Lamp-4.5W-390Lm-2700K-35W Equiv-GU5.3 Base	10
82096	12V-MR16 LED Wide Flood Lamp-4.5W-390Lm-2700K-35W Equiv-GU5.3 Base	10
MR16 LED	Lamps-4W-20W Equivalent-MR Silver Series (IP65 Rated)	
MODEL NUMBER	DESCRIPTION	CTN. QTY
81059	12V-MR16 LED Narrow Flood Lamp-4W-270Lm-2700K-20W Equiv-GU5.3 Base	10
81081	12V-MR16 LED Narrow Flood Lamp-4W-280Lm-3000K-20W Equiv-GU5.3 Base	10
81060L	12V-MR16 LED Flood Lamp-4W-270Lm-2700K-20W Equiv-GU5.3 Base	10
81062L	12V-MR16 LED Flood Lamp-4W-280Lm-3000K-20W Equiv-GU5.3 Base	10
81063L	12V-MR16 LED Flood Lamp-4W-310Lm-5000K-20W Equiv-GU5.3 Base	10
	12V-MR16 LED Flood Lamp-4W-270Lm-2700K-20W Equiv-GU5.3 Base	10
81061L		











MR11 MR16 JC1 JC2 JC10



MODEL NUMBER	DESCRIPTION	CTN. QTY
81064	12V-MR16 LED NARROW FLOOD LAMP-4.5W-380LM-2700K-35W EQUIV-GU5.3 BASE	10
81083	12V-MR16 LED NARROW FLOOD LAMP-4.5W-390LM-3000K-35W EQUIV-GU5.3 BASE	10
 81065	12V-MR16 LED FLOOD LAMP-4.5W-380LM-2700K-35W EQUIV-GU5.3 BASE	10
81067	12V-MR16 LED FLOOD LAMP-4.5W-390LM-3000K-35W EQUIV-GU5.3 BASE	10
81068	12V-MR16 LED FL00D LAMP-4.5W-430LM-5000K-35W EQUIV-GU5.3 BASE	10
81066	12V-MR16 LED WIDE FLOOD LAMP-4.5W-380LM-2700K-35W EQUIV-GU5.3 BASE	10
81084	12V-MR16 LED WIDE FLOOD LAMP-4.5W-390LM-3000K-35W EQUIV-GU5.3 BASE	10
MR16 LED	Lamps-8W-50W Equivalent-MR Silver Series (IP65 Rated)	
NUMBER	DESCRIPTION	CTN. QTY
81069L	12V-MR16 LED NARROW FLOOD LAMP-8W-590LM-2700K-50W EQUIV-GU5.3 BASE	10
81085	12V-MR16 LED NARROW FLOOD LAMP-8W-600LM-3000K-50W EQUIV-GU5.3 BASE	10
81070L	12V-MR16 LED FL00D LAMP-8W-590LM-2700K-50W EQUIV-GU5.3 BASE	10
81072L	12V-MR16 LED FLOOD LAMP-8W-600LM-3000K-50W EQUIV-GU5.3 BASE	10
81073L	12V-MR16 LED FLOOD LAMP-8W-660LM-5000K-50W EQUIV-GU5.3 BASE	10
81071L	12V-MR16 LED WIDE FLOOD LAMP-8W-590LM-2700K-50W EQUIV-GU5.3 BASE	10
81086	12V-MR16 LED WIDE FLOOD LAMP-8W-600LM-3000K-50W EQUIV-GU5.3 BASE	10
JC LED Lar	nps	
MODEL NUMBER	DESCRIPTION	CTN. QTY
81998	12V-JC1 LED IP65 OMNIDIRECTIONAL LAMP-1.2W-110LM-3000K-10W EQUIVALENT-G4 BASE	10
81999	12V-JC2 LED IP65 OMNIDIRECTIONAL LAMP-1.6W-180LM-3000K-20W EQUIVALENT-G4 BASE	10
81109	12V-JC2 LED IP65 OMNIDIRECTIONAL LAMP-2.3W-250LM-2700K-20W EQUIVALENT-G4 BASE	10
81108	12V-JC20 LED IP65 OMNIDIRECTIONAL LAMP-2.3W-250LM-3000K-20W EQUIVALENT-G4 BASE	10
80690	12V-JC20 LED OMNIDIRECTIONAL LAMP-2.4W-250LM-3000K-20W EQUIVALENT-G4 BASE	10
81996	12V-JC3 LED IP65 OMNIDIRECTIONAL LAMP-2.5W-250LM-3000K-20W EQUIVALENT-G4 BASE	10
80830	12V-JC35 LED OMNIDIRECTIONAL LAMP-4.5W-450LM-3000K-35W EQUIVALENT-G4 BASE	10
81997	12V-JC50 LED OMNIDIRECTIONAL LAMP-5.5W-550LM-3000K-50W EQUIVALENT-G4 BASE	10
Par36 LED	Lamps	
MODEL NUMBER	DESCRIPTION	CTN. QTY
81074	12V-PAR36 LED FLOOD-IP67-4.5W-300LM-2700K-20W EQUIV-SCREW TERMINAL	6
81075	12V-PAR36 LED FLOOD-IP67-6W-450LM-2700K-35W EQUIV-SCREW TERMINAL	6
81076	12V-PAR36 LED FLOOD-IP67-12W-800LM-2700K-50W EQUIV-SCREW TERMINAL	6
	Lamps	
Wedge LED		
Wedge LED MODEL NUMBER	DESCRIPTION	CTN. QTY
MODEL	DESCRIPTION 12V-WEDGE LED-1W-75LM-3000K-10W EQUIV-WEDGE BASE	CTN. QTY











JC3 JC35 JC50

PAR36

WEDGE



WARRANTY: Aluminum Fixtures backed by a 5 year warranty. Antique Brass, Composite, Copper, and Stainless Steel fixtures are backed by a Lifetime Limited Warranty, Commercial Transformers by a Lifetime Limited Warranty, Integrated Transformers for 2 Years and Smart Transformers 5 years. Color Changing Fixtures are backed by a 3 year warranty. STRONGEST LAMP WARRANTY: When installed in a Sollos fixture in recommended conditions and packaging warnings are followed, ProLED MR16 (excluding ColorSplash lamps) and non-silicon IP65-rated JC lamps are backed by a 20-year limited warranty, the strongest lamp in the industry. When installed in other fixtures, these lamps are backed by a 5-year Limited Warranty. ProLED 912 lamps, silicon IP65 rated and non-IP65-rated JC lamps are backed by a 2-year Limited Warranty. Color Changing Lamps are backed by a 3 year limited warranty. ProLED outdoor PAR36 white LED Lamps are backed by a 5 year warranty.

Pumps » Filters » Heaters » Sanitization » Automation » Lighting » Water Features » Cleaners » White Goods

» hayward.com » 1-888-HAYWARD